




OUTLET SIZE DIMENSION	FEMALE			MALE
	28	32	40	28
A	32.1	38.3	46.8	28.2
B	77.5	77.5	83.3	77.6
C	70.0	64.1	68.5	58.0
D	125.6	125.6	131.4	125.7

NOTES:

1. MATERIAL (CONDUIT INTERFACE AND LANYARD): POLYAMIDE, UNFILLED, COLOUR: BLACK
2. PACKAGING SPECIFICATION: PK-93286-001
PART NUMBERS LISTED ON SHEET 2 COMPRISE OF TWO SEPARATE MATING PARTS, UNCLIPPED AND CONNECTED AS ONE UNIT WITH A LANYARD
3. FEATURE FOR LANYARD CONNECTION
4. MATES WITH: NC & NW FORMAT CONDUIT
MOLEX SERIES 85070, 93287, 85084, REFERENCE SALES DRAWINGS SD-85070-300, SD-93287-001 AND SD-85084-700 RESPECTIVELY
5. IP RATING: IP40 WHEN CONDUIT USED WITH EXITS



MATING COMPONENTS VIEW




LANYARD

MATERIAL CHANGE EC NO: IPG2013-0850 DRWN: J WALLACE 2012/10/30 CHKD: MSHANAHAN 2013/10/10 APPR: STURIFFIN 2013/10/10	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) <table border="1"> <tr> <td></td> <td>mm</td> <td>INCH</td> </tr> <tr> <td>4 PLACES</td> <td>± .05</td> <td>± .002</td> </tr> <tr> <td>3 PLACES</td> <td>± .03</td> <td>± .001</td> </tr> <tr> <td>2 PLACES</td> <td>± 0.25</td> <td>± .010</td> </tr> <tr> <td>1 PLACE</td> <td>± 0.5</td> <td>± .020</td> </tr> <tr> <td colspan="3">ANGULAR ± 2 °</td> </tr> </table>		mm	INCH	4 PLACES	± .05	± .002	3 PLACES	± .03	± .001	2 PLACES	± 0.25	± .010	1 PLACE	± 0.5	± .020	ANGULAR ± 2 °			DIMENSION STYLE MM ONLY	SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
		mm	INCH																					
	4 PLACES	± .05	± .002																					
	3 PLACES	± .03	± .001																					
2 PLACES	± 0.25	± .010																						
1 PLACE	± 0.5	± .020																						
ANGULAR ± 2 °																								
DRAWN BY JOCONNOR	DATE 2010/07/01	TITLE SRC CONDUIT INTERFACE																						
CHECKED BY MSHANAHAN	DATE 2012/02/08	APPROVED BY EFOLAN																						
MATERIAL NO. SEE SHEET 2	DATE 2012/02/15	MOLEX INCORPORATED	DOCUMENT NO. SD-93286-001	SHEET NO. 1 OF 2																				
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS																								
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																								


10 9 8 7 6 5 4 3 2 1

*
T




A/B	OUTLET
0	BLANK
1	Ø28 MALE
2	Ø28 FEMALE
3	Ø32 FEMALE
4	Ø40 FEMALE

EXAMPLE:



93286-0010:
SIDE EXITS: Ø28 MALE & BLANK = 01
CENTRE EXIT: BLANK = 0


EXAMPLE:



93286-0134:
SIDE EXITS: Ø28 MALE & Ø32 FEMALE = 13
CENTRE EXIT: Ø40 FEMALE = 4

93286-0***

CENTRE OUTLET (B)



SIDE OUTLETS (A - A)

NC	NW
28	23
32	29
40	36

NOTES:
1. ALL OUTLET SIZES BASED ON UK NC SIZING FORMAT
2. MALE OUTLETS AVAILABLE IN SIZE NC 28 ONLY

SEE SHEET ONE	EC NO: IPG2013-0850	QUALITY SYMBOLS	DRWN: J WALLACE 2012/10/30
	CHKD: MSHANAHAN 2013/10/10		▽=0
	APPR: S GRIFFIN 2013/10/10		∇=0
	REV		DESCRIPTION

GENERAL TOLERANCES (UNLESS SPECIFIED)	
	mm INCH
4 PLACES	± --- ± ---
3 PLACES	± --- ± ---
2 PLACES	± 0.25 ± ---
1 PLACE	± 0.5 ± ---
ANGULAR ± 2 °	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	

DIMENSION STYLE	
MM ONLY	
DRAWN BY	DATE
JOCONNOR	2010/07/01
CHECKED BY	DATE
MSHANAHAN	2012/02/08
APPROVED BY	DATE
EFOLAN	2012/02/15
MATERIAL NO.	
SEE CHART	

SCALE 1:2	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
TITLE SRC CONDUIT INTERFACE		
MOLEX MOLEX INCORPORATED		SHEET NO. 2 OF 2
DOCUMENT NO. SD-93286-001		
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		

9 8 7 6 5 4 3 2 1